



EXCEL

STUBBLE warrior[®]

*the way
forward*



+ **widen the
planting window
and expand
opportunities**



+ **SP 200**

– **High performance heavy
duty double disc opener**

- Ultimate in seed placement with the proven double disc opener
- Positive, easy depth adjustment
- Maximise yield potential by conserving moisture and retaining stubble cover
- Heavy duty construction designed to meet the demands of Australian broad acre zero and minimum tillage.
- Slotted Wheel Gauge



**are you
looking for...**

- Profitable zero tillage planting solutions
- Precise ground following ability with a true parallelogram design
- Combination of winter and summer planting machinery
- Machine adaptability to emerging agronomic advances
- A trailing, linkage, or quad-lift machine configuration built to your specific requirements
- Interchangeable disc opener and tine tooling options
- Robust low maintenance design
- Quality in design, manufacture and service

**...look no
further than the
Stubble Warrior®**

30ft Stubble Warrior® Planter

fitted with SP200 row units at 15"-30" row spacings, this planter is set up on three metre tramlines and is able to seed and fertilise winter and summer crops in a one pass operation.





EXCEL

STUBBLE warrior®

+ CR 600

- Pinnacle in parallelogram tine planting equipment

- Robust, cost effective tine solution for a wide range of planting conditions
- Unequalled moisture seeking ability and consistency of seed depth under marginal planting conditions
- Positive, easy depth adjustment in 10mm planting depth increments
- Stump jump 600lb breakout force



CR 600



DOUBLE DISC SHANK



← 12 Metre Single Disc planter on 333mm row spacings and 3 metre tramlines



8m linkage planter

Seeding and fertilising into heavy trash cover and clayish/sticky soils, it has excellent ground penetration in tight soils but has also proven to be very effective in tilled soil.

+ EI 853

- Single disc opener has excellent ground penetration

- Robust 18" single bevelled disc opener
- Heavy duty 4½" x 15" gauge wheel
- Hard faced planting shoe for long life
- Seed firming wheel for excellent seed to soil contact
- Suit 4" x 4" toolbar
- Heavy duty down force spring
- Tapered roller bearings used throughout
- Fully adjustable unit to cater for different soil types
- Adaptors to suit most bars
- Slotted Wheel Gauge



OPTIONAL... HYDRAULIC RAM





12 Meter Stubble Warrior Planter
 333mm Row Spacing
 2 Meter Tramlines
 Fitted with 36 CR 600 units
 No Soil throw

STUBBLE warrior®

“For my farming practices, moisture retention whilst planting is paramount. The Stubble Warrior® has produced outstanding crop establishments and shown adaptability to a wide range of planting conditions.”

*Ian Carter, “Connamara”,
 Quirindi NSW*



EXCEL Agriculture

Great Western Corporation Pty Ltd
 ABN 91 064 434 475

Design and manufacture of
 agricultural machinery

P.O. Box 665
 74 – 92 Buckland St
 Toowoomba Qld 4350

Phone: (07) 4636 9100
Facsimile: (07) 4636 9140

www.excelagr.com.au

Stubble Warrior is a registered trade mark.

